

HAZARD RATING 4-EXTREME 3-HIGH 2-MODERATE 1-SLIGHT		Fire 2 1 0	Reactivity 0 Special	MATERIAL SAFETY DATA SHEET (Prepared according to 29 CFR 1910. 1200) Date Prepared:9-27-04	
SECTION 1 - PRODUCT IDENTIFICATION					
Company Name		ENERGY MIZER		Emergency Telephone No. 1-800-627-5634	
Address		EDWARDIA DR. GREENSBORO, NC 27409		Information Telephone No. 336-294-1601	
Product Name / ID#		Pro Spotter 3 (1883)		Product Type Laundry Spotter <input checked="" type="checkbox"/> Proprietary Product	
SECTION 2 - HAZARDOUS INGREDIENTS					
Chemical Name/Common Name		Cas No.	Percent (optional)	TLV (Source)	
*Ethylene Glycol		107-21-1	<5%	C 50 ppm	
Orange Terpenes		5989-27-5	< 10%	NE	
*Diethylene Glycol Monomethyl Ether		111-77-3	<5%	NE	
<input checked="" type="checkbox"/> Substances Contains no substances - subject to the reporting requirements of SARA 313 and 40 CFR Part 372.					
SECTION 3 - PHYSICAL DATA					
Boiling Point (°F)	212°F	'Specific Gravity (H ₂ O=1.0)	0.993 ± 0.005	pH. 8.5 ± 0.5	% VOC (ww) 8.9%
Solubility In Water	<input checked="" type="checkbox"/> Complete	<input type="checkbox"/> Insoluble	<input checked="" type="checkbox"/> Emulsifiable or (Dispersible)	<input type="checkbox"/> Slight (or Partial)	
Evaporation Rate (vs. H ₂ O)	<input type="checkbox"/> Faster	<input type="checkbox"/> Slower	<input checked="" type="checkbox"/> About the Same	Vapor Pressure NE	Vapor Density NE
Appearance and Odor	Hazy, slightly viscous liquid. Citrus odor.				
SECTION 4 - FIRE AND EXPLOSION HAZARD DATA					
Flash Point (T.C.C.)	> 112°F	<input type="checkbox"/> None to boiling	Flammable Limits Upper NE	Lower NE	
Extinguishing Media	Dry chemical, carbon dioxide or water fog.				
Special Fire Fighting Procedures	NA				
Unusual Fire Explosion Hazards	NA				
SECTION 5 - REACTIVE DATA					
Stability	Stable	Incompatibility	None		
Hazardous Decomposition Products	Oxides of carbon.				
SECTION 6 - HEALTH HAZARDS					
Threshold Limit Value Product <input checked="" type="checkbox"/> None Established <input type="checkbox"/> Not Applicable			Primary routes of Exposure <input checked="" type="checkbox"/> Eyes <input checked="" type="checkbox"/> Skin <input checked="" type="checkbox"/> Oral <input checked="" type="checkbox"/> Inhalation		
See Section 2 for Ingredients TLV					
Signs Symptoms of Over-exposure (Acute)	May be irritating to the eyes, skin, digestive system or respiratory tract.				
Signs Symptoms of Over-exposure (Chronic)	Unknown				
Medical Conditions Aggravated by Over-exposure	Unknown				
Carcinogen/Suspected Carcinogen Ingredients:	<input type="checkbox"/> NTP <input type="checkbox"/> IARC <input type="checkbox"/> OSHA <input checked="" type="checkbox"/> None				
SECTION 7 - FIRST AID PROCEDURES - (If any Condition persists - Consult a physician.)					
Eyes	Flush with water for 15 minutes.				
Skin	Wash with water for 10 minutes. Remove any contaminated clothing. Wash before reuse.				
Ingestion	Drink large quantity of water to dilute stomach contents. Get medical attention.				
Inhalation	Remove to fresh air. If qualified, give oxygen or artificial respiration as necessary and/or seek medical attention.				
SECTION 8 - SPECIAL PROTECTION INFORMATION					
Respiratory Protection	If ventilation is inadequate, use NIOSH approved respiratory with organic vapors cartridge.				
Ventilation requirements	<input checked="" type="checkbox"/> Local Exhaust <input checked="" type="checkbox"/> Mechanical To keep below any listed TLV or for general good ventilation.				
Protective Gloves	Rubber. Eye Protection Safety glasses.				
Other Protective Clothing	Chemical apron when handling large volumes of material.				
SECTION 9 - SPILL OR LEAK PROCEDURES					
Steps to be Taken if Released or Spilled	Mop up, rinse with water.				
Waste Disposal Methods	Check all government regulations. Should be acceptable to dilute with water and flush to sewer system.				
SECTION 10 - STORAGE AND HANDLING INFORMATION Precautions to be Taken in handling and Storage Store away from sources of ignition.					
Store so as to be inaccessible to children. Wash thoroughly after handling.					